



TMX 42-1350




 **TERRI**
S.p.A

SCHEMA TECNICA

Technical Datasheet - Fiche Technique - Technische Spezifikationen









A3 FEM1,001




PRESTAZIONI

Performances - Performances - Aufführungen

		Velocità - Speed - Vitesse - Geschwindigkeit	Potenza - Power - Puissance - Leistung
Rotazione Slewing Orientation Schwenken		0,35 - 0,70 - 1,00 r.p.m.	4 Kw
Carrello Trolley Chariot Katzfahnen		0 - 60 m/min	4 Kw
Traslazione Rail Translation Kranfahren		0 - 14 m/min	2 x 2,9 Kw



Tipo Type Type Type 	Potenza - Power Puissance - Leistung		Fune - Rope Cable - Seil	Marcia Step Vitesse Gang				
	CV - ch PS - hp	kW	m		Carico - Load Charge - Last	Velocità - Speed Geschw. - Vitesse	Carico - Load Charge - Last	Velocità - Speed Geschw. - Vitesse
					kg	m/min	kg	m/min
15-VF2,5	15	11	150	1	2500	7		
				2	2500	21		
				3	1250	40		
25-VF3	25	18,5	240	1	3000	8		
				2	3000	32		
				3	1500	64		
				4	1000	76		

FORZA MOTRICE TOTALE TOTAL INSTALLED POWER PUISSANCE TOTALE GESAMTLEISTUNG	11 Kw (15 HP)	18,5 Kw (25 HP)
	24 Kw	31 Kw



RAGGI E PORTATE



Radius and SWL - Portée et charge - Ausladung und Tragfähigkeit


Portata max / Max s.w.l. Charge maxi / Max. Tragfähigkeit		2500 kg. 					3000 kg. 					
		18	24	30	36	42	18	24	30	36	42	
Braccio / Jib Ausleger / Flèche	m.	18	24	30	36	42	18	24	30	36	42	
Campo di portata max da Max s.w.l. range from Charge maxi de Max. Tragfähigkeit von	a to à bis	18	24	23,5	22,5	22	18	20,5	20,5	19,5	19,0	
Raggi (m.) Radius (m.) Portée (m.) Ausladung (m.)	8	2500	2500	2500	2500	2500	3000	3000	3000	3000	3000	
	10	2500	2500	2500	2500	2500	3000	3000	3000	3000	3000	
	12	2500	2500	2500	2500	2500	3000	3000	3000	3000	3000	
	14	2500	2500	2500	2500	2500	3000	3000	3000	3000	3000	
	16	2500	2500	2500	2500	2500	3000	3000	3000	3000	3000	
	18	2500	2500	2500	2500	2500	3000	3000	3000	3000	3000	
	20		2500	2500	2500	2500		3000	3000	2934	2812	
	22		2500	2500	2500	2500		2800	2727	2647	2537	
	24		2500	2483	2410	2310		2500	2483	2410	2310	
	26				2277	2210	2118			2277	2210	2118
	28				2102	2040	1954			2102	2040	1954
	30				1900	1892	1812			1900	1892	1812
	32					1764	1689				1764	1689
	34					1650	1580				1650	1580
	36					1500	1483				1500	1483
	38						1397					1397
40						1320					1320	
42						1250					1250	



Con sistema "LIS" tutte le portate intermedie sono aumentate del 10% - All intermediate loads are increased of 10% if the crane is equipped with "LIS" control - Les charges intermédiaires sont augmentées de 10% si la grue est équipée avec controle "LIS"


ALTEZZA LIBERE



Height under hook - Hauteur sous crochet - Hakenhöhe


A	HSG (m)	Z (t)	F1 (kN)	A	HSG (m)	Z (t)	F1 (kN)
	35,9	60,60	573		42,2	70,45	595
	30,0	50,50	452				
	24,1	45,45	367				
	18,2	45,45	330				



E	HSG (m)	Z (t)	F1 (kN)	E	HSG (m)	Z (t)	F1 (kN)
	35,3	60,60	557		41,9	70,45	585
	29,4	50,50	439				
	23,5	45,45	360				
	17,6	45,45	325				




B	HSG (m)	Z (t)	F1 (kN)	B	HSG (m)	Z (t)	F1 (kN)
	35,8	60,60	549		42,1	70,45	577
	29,9	50,50	433				
	24,0	45,45	358				
	18,1	45,45	323				



ALTEZZA ANCORATE

Anchored Heights - Anchored Heights - Verankerte Heights

A SOPRALZO IDRAULICO
EXTERNAL CLIMBING
TELESCOPABLE
KLETTERKRANE





Via Archimede 80
20041 Agrate Brianza - MI
ITALY

Tel. +39 039 6833.333

Tel. +39 039 6833.357

mail: info@terri.it

www.terri.it

DISTRIBUTORE - DEALER - DISTRIBUTEUR - DISTRIBUTOR

TMX 42-1350
Release 10.09
Rev.00

Dati illustrativi non impegnativi con riserva di modifica senza preavviso
Specifications and data not binding subject to modification without notice
Angaben und Beschreibungen unverbindlich Änderungen vorbehalten ohne weitere Mitteilung
Données techniques seulement indicatives modifications réservées sans préavis.

Gru da città senza cuspidi - Top less city crane - City kran ohne turmspitze - City grue sans poinçon